



	<b>MARINE CYLINDER OIL</b>	<b>CASTROL</b>	<b>LUBMARINE</b>	<b>CHEVRON</b>	<b>MOBIL</b>	<b>GULF OIL MARINE</b>	<b>SHELL</b>	<b>LUKOIL</b>
	Designed for new modern Low Speed 2-stroke Crosshead Marine Main Engines (Ultra Long Stroke) using Heavy Fuel Oil (HFO) with sulphur content >2.5%	CYLTECH 100	TALUSIA UNIVERSAL 100	TARO SPECIAL HT 100	MOBILGARD 5100	GulfSea Cylcare 50100	ALEXIA S6	NAVIGO 100 MCL
	Designed for modern Low Speed 2-stroke Crosshead Marine Main Engines using Heavy Fuel Oil (HFO) with sulphur content >2.5%	CYLTECH 70	TALUSIA HR 70	TARO SPECIAL HT 70	MOBILGARD 570	GulfSea Cylcare DCA 5070H	ALEXIA 50	NAVIGO 70 MCL NAVIGO 70 MCL AW
	Designed for modern Low Speed 2-stroke Marine Main Engines using Heavy Fuel Oil (HFO) with sulphur content >0.5% to <3.5%	N.A	TALUSIA UNIVERSAL	TARO SPECIAL HT 55	MOBILGARD 560 VS	GulfSea Cylcare EHP 5055	ALEXIA S4	NAVIGO 50 MCL
	Designed for modern Low Speed 2-stroke Marine Main Engines using Heavy Fuel Oil (HFO) with sulphur content >0.5% to <1.5%	CYLTECH 40SX	TALUSIA LS 40	TARO SPECIAL HT LS 40	N.A	GulfSea Cylcare DCA 5040H	N.A	NAVIGO 40 MCL NAVIGO MCL EXTRA
	Designed for modern Low Speed 2-stroke Marine Main Engines using Gas Oil / Marine Diesel Oil (MDO) or Ultra Low Sulphur Heavy Fuel Oil (ULSF) with sulphur content <0.1%	CYLTECH ACT	TALUSIA LS 25	TARO SPECIAL HT LF	MOBILGARD 525	GulfSea Cylcare ECA 50	ALEXIA S3	NAVIGO MCL ULTRA
	<b>MARINE SYSTEM OIL</b>	<b>CASTROL</b>	<b>LUBMARINE</b>	<b>CHEVRON</b>	<b>MOBIL</b>	<b>GULF OIL MARINE</b>	<b>SHELL</b>	<b>LUKOIL</b>
	Engine Crankcase Oil specially designed for modern Low Speed 2-stroke Crosshead Marine Main Engines.	CDX 30	ATLANTA MARINE D 3005	VERITAS 800 MARINE 30	MOBILGARD 300	GulfSea SuperBear 3006	MELINA S30	NAVIGO 6 SO
	<b>MARINE TRUNK PISTON ENGINE OIL</b>	<b>CASTROL</b>	<b>LUBMARINE</b>	<b>CHEVRON</b>	<b>MOBIL</b>	<b>GULF OIL MARINE</b>	<b>SHELL</b>	<b>LUKOIL</b>
	Designed for all types of modern High or Medium Speed 4-stroke Diesel Engines running Gas Oil or Marine Diesel Oil (MDO) with sulphur content <1.5%	MHP 153	DISOLA M 3015	DELO 1000 MARINE 30	MOBILGARD 312	GulfSea Power MDO 3015	GADINIA 30	NAVIGO TPEO 15/30
	Designed for all types of modern High or Medium Speed 4-stroke Diesel Engines running Gas Oil or Marine Diesel Oil (MDO) with sulphur content <1.5%	MHP 154	DISOLA M 4015	DELO 1000 MARINE 40	MOBILGARD 412	GulfSea Power MDO 4015	GADINIA 40	NAVIGO TPEO 15/30
	Designed for modern Medium Speed 4-stroke Marine Engines running Intermediate Fuel Oil (IFO) or Heavy Fuel Oil (HFO) with sulphur content >1.5% to <2.5%	TLX PLUS 303	AURELIA TI 3030	TARO 30 DP 30	MOBILGARD M330	GulfSea Power 3030	ARGINA T30	NAVIGO TPEO 30/30
	Designed for modern Medium Speed 4-stroke Marine Engines running Intermediate Fuel Oil (IFO) or Heavy Fuel Oil (HFO) with sulphur content >1.5% to <2.5%	TLX PLUS 304	AURELIA TI 4030	TARO 30 DP 40	MOBILGARD M430	GulfSea Power 4030	ARGINA T40	NAVIGO TPEO 30/40



Designed for modern Medium Speed 4-stroke Marine Engines running Intermediate Fuel Oil (IFO) or Heavy Fuel Oil (HFO) with sulphur content >2.5% to <3.5%	N.A	N.A	N.A	N.A	N.A	GulfSea Power 3040	N.A	N.A
Designed for modern Medium Speed 4-stroke Marine Engines running Intermediate Fuel Oil (IFO) or Heavy Fuel Oil (HFO) with sulphur content >2.5% to <3.5%	TLX PLUS 404	AURELIA TI 4040	TARO 40 XL 40	MOBILGARD M440	GulfSea Power 4040	ARGINA X40	NAVIGO TPEO 40/40	
Designed for modern Medium Speed 4-stroke Marine Engines running Intermediate Fuel Oil (IFO) or Heavy Fuel Oil (HFO) with sulphur content >3%.	N.A	N.A	N.A	N.A	GulfSea Power 3055	N.A	N.A	
Designed for modern Medium Speed 4-stroke Marine Engines running Intermediate Fuel Oil (IFO) or Heavy Fuel Oil (HFO) with sulphur content >3%	TLX PLUS 504	AURELIA TI 4055	TARO 50 XL 40	MOBILGARD M50	GulfSea Power 4055	ARGINA XL40	NAVIGO TPEO 55/40	
<b>MARINE DETERGENT OIL</b>	<b>CASTROL</b>	<b>LUBMARINE</b>	<b>CHEVRON</b>	<b>MOBIL</b>	<b>GULF OIL MARINE</b>	<b>SHELL</b>	<b>LUKOIL</b>	
Multigrade Marine Oil specially formulated for highly turbo-charged Diesel engines, and particularly suitable for life boat engines, fire pumps (IMO international safety rules) in extreme weather conditions.	Tection Global 15W-40	DISOLA W	URSA MARINE 15W40	MOBIL DELVAC MX 15W-40	GulfSea Power MX 15W-40	RIMULA R4 X 15W40	AVANTGARDE ULTRA 15W40	
<b>MARINE HYDRAULIC OIL</b>	<b>CASTROL</b>	<b>LUBMARINE</b>	<b>CHEVRON</b>	<b>MOBIL</b>	<b>GULF OIL MARINE</b>	<b>SHELL</b>	<b>LUKOIL</b>	
Formulated for lubrication of all hydraulic equipments operating in extreme temperature conditions	HYSPIN AWH-M 15	VISGA 15	RANDO HDZ 15	MOBIL DTE 10 EXCEL 15	GulfSea Hydraulic HVI Plus 15	TELLUS S2 V15	RENOLIN B HVI 15	
Formulated for lubrication of all hydraulic equipments operating in extreme temperature conditions	N.A	VISGA 22	RANDO HDZ 22	MOBIL DTE 10 EXCEL 22	GulfSea Hydraulic HVI Plus 22	TELLUS S2 V22	RENOLIN B HVI 22	
Formulated for lubrication of all hydraulic equipments operating in extreme temperature conditions	HYSPIN AWH-M 32	VISGA 32	RANDO HDZ 32	MOBIL DTE 10 EXCEL 32	GulfSea Hydraulic HVI Plus 32	TELLUS S2 V32	RENOLIN B HVI 32	
Formulated for lubrication of all hydraulic equipments operating in extreme temperature conditions	HYSPIN AWH-M 46	VISGA 46	RANDO HDZ 46	MOBIL DTE 10 EXCEL 46	GulfSea Hydraulic HVI Plus 46	TELLUS S2 V46	RENOLIN B HVI 46	
Formulated for lubrication of all hydraulic equipments operating in extreme temperature conditions	HYSPIN AWH-M 68	VISGA 68	RANDO HDZ 68	MOBIL DTE 10 EXCEL 68	GulfSea Hydraulic HVI Plus 68	TELLUS S2 V68	RENOLIN B HVI 68	
Formulated for lubrication of all hydraulic equipments operating in extreme temperature conditions	HYSPIN AWH-M 100	VISGA 100	RANDO HDZ 100	MOBIL DTE 10 EXCEL 100	GulfSea Hydraulic HVI Plus 100	TELLUS S2 V100	RENOLIN B HVI 100	
Formulated for lubrication of all hydraulic equipments operating in extreme temperature conditions	HYSPIN AWH-M 150	VISGA 150	N.A	MOBIL DTE 10 EXCEL 150	GulfSea Hydraulic HVI Plus 150	N.A	RENOLIN B HVI 150	
<b>MARINE GEAR OIL</b>	<b>CASTROL</b>	<b>LUBMARINE</b>	<b>CHEVRON</b>	<b>MOBIL</b>	<b>GULF OIL MARINE</b>	<b>SHELL</b>	<b>LUKOIL</b>	



With Sulphur-phosphorous additives specially formulated for all types of gears and bearings in extreme pressure conditions.	ALPHA SP 68	EPONA Z 68	MEROPA 68	MOBILGEAR 600 XP 68	GulfSea Gear Oil 68	OMALA S2 G 68	RENOLIN CLP 68
With Sulphur-phosphorous additives specially formulated for all types of gears and bearings in extreme pressure conditions.	ALPHA SP 100	EPONA Z 100	MEROPA 100	MOBILGEAR 600 XP 100	GulfSea Gear Oil 100	OMALA S2 G 100	RENOLIN CLP 100
With Sulphur-phosphorous additives specially formulated for all types of gears and bearings in extreme pressure conditions.	ALPHA SP 150	EPONA Z 150	MEROPA 150	MOBILGEAR 600 XP 150	GulfSea Gear Oil 150	OMALA S2 G 150	RENOLIN CLP 150
With Sulphur-phosphorous additives specially formulated for all types of gears and bearings in extreme pressure conditions.	ALPHA SP 220	EPONA Z 220	MEROPA 220	MOBILGEAR 600 XP 220	GulfSea Gear Oil 220	OMALA S2 G 220	RENOLIN CLP 220
With Sulphur-phosphorous additives specially formulated for all types of gears and bearings in extreme pressure conditions.	ALPHA SP 320	EPONA Z 320	MEROPA 320	MOBILGEAR 600 XP 320	GulfSea Gear Oil 320	OMALA S2 G 320	RENOLIN CLP 320
With Sulphur-phosphorous additives specially formulated for all types of gears and bearings in extreme pressure conditions.	ALPHA SP 460	EPONA Z 460	MEROPA 460	MOBILGEAR 600 XP 460	GulfSea Gear Oil 460	OMALA S2 G 460	RENOLIN CLP 460
With Sulphur-phosphorous additives specially formulated for all types of gears and bearings in extreme pressure conditions.	ALPHA SP 680	N.A	MEROPA 680	MOBILGEAR 600 XP 680	GulfSea Gear Oil 680	OMALA S2 G 680	RENOLIN CLP 680
<b>MARINE REFRIGERATING OIL</b>	<b>CASTROL</b>	<b>LUBMARINE</b>	<b>CHEVRON</b>	<b>MOBIL</b>	<b>GULF OIL MARINE</b>	<b>SHELL</b>	<b>LUKOIL</b>
With "wax-free" naphthenic-base fluid specially formulated for all types of refrigerating compressors using refrigerants FREON - R12 - R22 - R11 - R113 - R13B1 - R502, ammonia and CO2.	AIRCOL 299	LUNARIA FR 68	CAPELLA WF 68	GARGOYLE ARTIC OIL 300	GulfSea N Cooloil	N.A	RENISO KC 68
<b>MARINE COMPRESSOR OIL</b>	<b>CASTROL</b>	<b>LUBMARINE</b>	<b>CHEVRON</b>	<b>MOBIL</b>	<b>GULF OIL MARINE</b>	<b>SHELL</b>	<b>LUKOIL</b>
Formulated for all reciprocating air compressors.	AIRCOL PD 68	DACNIS 68	COMPRESSOR OIL EP VDL 68	MOBIL RARUS 426	GulfSea Compressor Oil 68	N.A	RENOLIN 503
Formulated for all reciprocating air compressors.	AIRCOL PD 100	DACNIS 100	COMPRESSOR OIL EP VDL 100	MOBIL RARUS 427	GulfSea Compressor Oil 100	Corena S2 P 100	RENOLIN 504
<b>MARINE HEAT TRANSFER OIL</b>	<b>CASTROL</b>	<b>LUBMARINE</b>	<b>CHEVRON</b>	<b>MOBIL</b>	<b>GULF OIL MARINE</b>	<b>SHELL</b>	<b>LUKOIL</b>
Mineral Oil with high resistance to oxidation especially formulated for use in liquid Heat Circulation of Heat Transfer equipment.	PERFECTO HT 5	SERIOLA ETA 32	TEXATHERM 32	MOBILTHERM 605	GulfSea HT Oil 32	HEAT TRANSFER OIL S2	RENOLIN THERM 320
<b>MARINE TURBINE OIL</b>	<b>CASTROL</b>	<b>LUBMARINE</b>	<b>CHEVRON</b>	<b>MOBIL</b>	<b>GULF OIL MARINE</b>	<b>SHELL</b>	<b>LUKOIL</b>
Formulated for the lubrication of turbo generators and pumps	PERFECTO T 32	PRESLIA 32	REGAL R&O 32	MOBIL DTE LIGHT	GulfSea Turbine Oil 32	TURBO T 32	RENOLIN ETERNA 32
Formulated for the lubrication of turbo generators and pumps	PERFECTO T 46	PRESLIA 46	REGAL R&O 46	MOBIL DTE MEDIUM	GulfSea Turbine Oil 46	TURBO T 46	RENOLIN ETERNA 46
Formulated for the lubrication of turbo generators and pumps	PERFECTO T 68	PRESLIA 68	REGAL R&O 68	MOBIL DTE HEAVY MEDIUM	GulfSea Turbine Oil 68	TURBO T 68	RENOLIN ETERNA 68



	Formulated for the lubrication of turbo generators and pumps	PERFECTO T 100	PRESLIA 100	N.A	MOBIL DTE HEAVY	GulfSea Turbine Oil 100	TURBO T 100	RENOLIN ETERNA 100	
	<b>MARINE GREASES</b>	<b>CASTROL</b>	<b>LUBMARINE</b>	<b>CHEVRON</b>	<b>MOBIL</b>	<b>GULF OIL MARINE</b>	<b>SHELL</b>	<b>LUKOIL</b>	
	Extreme-pressure water resistant, high temperature Calcium Sulfonate complex grease specially formulated for wire ropes and open gears.	SPHEEROL EPL0	CERAN AD PLUS	TEXCLAD PREMIUM 2	MOBILTAC 375 NC (Open Gear)	GulfSea HYPERBAR Super CS	GADUS S2 A320 2	RENOLIT CX-EP 0	
		SPHEEROL EP1			MOBILGREASE XHP 220 (NLGI 0)			GADUS S2 V220 0	RENOLIT EP X1
					MOBILGREASE XHP 221 (NLGI 1)			GADUS S2 V220 1	
	Extreme pressure water resistant, high temperature Calcium Sulfonate complex grease specially formulated for onboard multi-purpose uses.	SPHEEROL SX 2	CERAN XM220	MULTIFAK EP 2	MOBILGREASE XHP 222	GulfSea HYPERBAR CS 2	GADUS S2 V220 2	NAVIGREASE EP 2 NAVIGREASE CSX 2 RENOLIN CXI 2	
	Extreme pressure, long life Lithium/Calcium grease with Molybdenum disulfide specially formulated for general machinery or bearings which under heavy pressure and require excellent protection against rust and corrosion.	SPHEEROL LMM	MULTIS MS 2	MOLYTEX EP	MOBILGREASE XHP 222 SPECIAL	GulfSea HYPERBAR LCM 2	GADUS S2 V220AD 2	RENOLIT FLM 2	
	<b>SYNTHETIC LUBRICANTS</b>	<b>CASTROL</b>	<b>LUBMARINE</b>	<b>CHEVRON</b>	<b>MOBIL</b>	<b>GULF OIL MARINE</b>	<b>SHELL</b>	<b>LUKOIL</b>	
*	Synthetic Compressor Lubricant specially formulated for turbo chargers and compressors which strongly request extreme anti-corrosion properties.	AIRCOL SR 46	BARELF SM 46	CETUS PAO 46	MOBIL RARJUS SHC 1025	GulfSea Synth Compressor Oil 46	CORENA S4 R 46	RENOLIN UNISYN OL 46	
*	Synthetic Compressor Lubricant specially formulated for turbo chargers and compressors which strongly request extreme anti-corrosion properties.	AIRCOL SR 68	BARELF SM 68	CETUS PAO 68	MOBIL RARJUS SHC 1026	GulfSea Synth Compressor Oil 68	CORENA S4 R 68	RENOLIN UNISYN OL 68	
*	Synthetic Air Compressor Oil with Di-ester type Synthetic Lubricants specially formulated for reciprocating air compressors, heavy duty turbo-chargers and vacuum pumps in extreme high temperature conditions and anti-corrosive properties.	AIRCOL SN 68	BARELF CH 68	CETUS DE 68	N.A	GulfSea DE Compressor Oil 68	N.A	RENOLIN SE 68	
*	Synthetic Air Compressor Oil with Di-ester type Synthetic Lubricants specially formulated for reciprocating air compressors, heavy duty turbo-chargers and vacuum pumps in extreme high temperature conditions and anti-corrosive properties.	AIRCOL SN 100	BARELF CH 100	CETUS DE 100	MOBIL RARJUS 827	GulfSea DE Compressor Oil 100	CORENA S4 P 100	RENOLIN SE 100 NAVISYN DE 100	



*	Synthetic Poly-Alkylene-Glycol gas compressor lubricant formulated with unique and advance additive technology system which improves anti-oxidant, anti-corrosion and ati-wear properties	AIRCOL PG 185	PRIMERIA LPG150	LPG COMPRESSOR OIL	MOBIL GLYGOYLE 150	GulfSea Synth LPG Compressor Oil	REFRIGERATION OIL S4 PV 190	RENOLIN LPG 185
*	Synthetic Gear Oil specially formulated for all types of gears and bearings with higher oxidation resistance, hydrolysis resistance and anti-rusting properties.	ALPHASYN HG 220	EPONA SA 220	PINNACLE MARINE GEAR 220	MOBIL SHC 630	GulfSea Synth Gear Oil 220	OMALA S4 GX 220	RENOLIN UNISYN CLP 220
*	Synthetic Gear Oil specially formulated for all types of gears and bearings with higher oxidation resistance, hydrolysis resistance and anti-rusting properties.	ALPHASYN HG 320	EPONA SA 320	N.A	MOBIL SHC 632	GulfSea Synth Gear Oil 320	OMALA S4 GX 320	RENOLIN UNISYN CLP 320
*	Synthetic Poly-Alkylene-Glycol heavy duty industrial lubricant offering outstanding lubrication performance and load carrying capacity under severe operating conditions including shock loading paticularly suitable for gears and bearings application	ALPHASYN PG 220	CARTER SY 220	SYNLUBE CLP 220	MOBIL GLYGOYLE 220	GulfSea Synth Gear Oil PG220	OMALA S4 WE 220	RENOLIN PG 220
*	Synthetic Air and Compressor Oil specially formulated for all reciprocating air compressors in extreme thermal conditions and refrigerating compressors using refrigerants R22, R114 or similar.	AIRCOL 2284	N.A	REFRIGERATION OIL LOW TEMP 68	MOBIL ZERICE S 68	GulfSea AB Cooloil 55	REFRIGERATION OIL S4 FR-V 68	RENISO S 68
*	Synthetic Air and Compressor Oil specially formulated for all reciprocating air compressors in extreme thermal conditions and refrigerating compressors using refrigerants R22, R114 or similar.	AIRCOL 2285	BARELF AL 100		MOBIL ZERICE S 100	GulfSea AB Cooloil 100	REFRIGERATION OIL S4 FR-V 100	RENISO SP 100
*	Synthetic Polyolester oil specially formulated for refrigerating compressors using HFC refrigerants, such as R134a, R404A, R407C, R410A, R507, R23... in ultra low temperature conditions.	AIRCOL SW 32	PLANETELF ACD 32	CAPELLA HFC 32	MOBIL EAL ARTIC 32	GulfSea PE Cooloil 32	REFRIGERATION OIL S4 FR-F 32	RENISO TRITON SEZ 32
*	Synthetic Polyolester oil specially formulated for refrigerating compressors using HFC refrigerants, such as R134a, R404A, R407C, R410A, R507, R23... in ultra low temperature conditions.	AIRCOL SW 46	PLANETELF ACD 46	N.A	MOBIL EAL ARTIC 46	GulfSea PE Cooloil 46	N.A	N.A
*	Synthetic Polyolester oil specially formulated for refrigerating compressors using HFC refrigerants, such as R134a, R404A, R407C, R410A, R507, R23... in	AIRCOL SW 68	PLANETELF ACD 68	CAPELLA HFC 55	MOBIL EAL ARTIC 68	GulfSea PE Cooloil 68	REFRIGERATION OIL S4 FR-F 68	RENISO TRITON SEZ 68



	ultra low temperature conditions.							
*	Synthetic Polyolester oil specially formulated for refrigerating compressors using HFC refrigerants, such as R134a, R404A, R407C, R410A, R507, R23... in ultra low temperature conditions.	AIRCOL SW 100	PLANETELF ACD 100FY	CAPELLA HFC 100	MOBIL EAL ARTIC 100	GulfSea PE Cooloil 100	REFRIGERATION OIL S4 FR-F 100	RENISO TRITON SEZ 100
*	Synthetic Polyolester oil specially formulated for refrigerating compressors using HFC refrigerants, such as R134a, R404A, R407C, R410A, R507, R23... in ultra low temperature conditions.	N.A	PLANETELF ACD 150FY	N.A	N.A	GulfSea PE Cooloil 150	N.A	RENISO TRITON SE 170
*	Synthetic Polyolester oil specially formulated for refrigerating compressors using HFC refrigerants, such as R134a, R404A, R407C, R410A, R507, R23... in ultra low temperature conditions.	AIRCOL SW 220	PLANETELF ACD 220FY	N.A	MOBIL EAL ARTIC 220	GulfSea PE Cooloil 220	N.A	RENISO TRITON SE 220
	<b>BIO LUBRICANTS</b>	<b>CASTROL</b>	<b>LUBMARINE</b>	<b>CHEVRON</b>	<b>MOBIL</b>	<b>GULF OIL MARINE</b>	<b>SHELL</b>	<b>LUKOIL</b>
**	Environmentally sensitive and VGP approved lubricants , formulated from natural and renewable esters, which provide excellent lubrication in both neat and emulsion forms.	BIOSTAT 68	N.A	CLARITY SYNTHETIC EA HYDRAULIC OIL 68	N.A	GulfSea BD Stertube Oil 68	N.A	N.A
**	Environmentally sensitive and VGP approved lubricants , formulated from natural and renewable esters, which provide excellent lubrication in both neat and emulsion forms.	BIOSTAT 100	Bioneptan 100	CLARITY SYNTHETIC EA HYDRAULIC OIL 100	MOBIL SHC AWARE ST100	GulfSea BD Stertube Oil 100	NATURELLE S4 STERNTUBE FLUID 100	PLANTOGEAR 100S
**	Environmentally sensitive and VGP approved lubricants , formulated from natural and renewable esters, which provide excellent lubrication in both neat and emulsion forms.	BIOSTAT 220	Bioneptan 220	N.A	MOBIL SHC AWARE ST220	GulfSea BD Stertube Oil 220	N.A	PLANTOGEAR 150S
**	High performance EP biodegradable and VGP approved gear oils . They exhibit high anti-wear and micro-pitting properties as required by major OEMs	BIOSTAT 68	Carter Bio 68	N.A	MOBIL SHC AWARE GEAR 68	GulfSea BD Gear Oil 68	NATURELLE S4 GEAR FLUID 68	N.A
**	High performance EP biodegradable and VGP approved gear oils . They exhibit high anti-wear and micro-pitting properties as required by major OEMs	BIOSTAT 100	Carter Bio 100	CLARITY SYNTHETIC EA GEAR OIL 100	MOBIL SHC AWARE GEAR 100	GulfSea BD Gear Oil 100	NATURELLE S4 GEAR FLUID 100	PLANTOGEAR 100S
**	High performance EP biodegradable and VGP approved gear oils . They exhibit high anti-wear and micro-pitting properties as required by major OEMs	N.A	Carter Bio 150	CLARITY SYNTHETIC EA GEAR OIL 150	N.A	GulfSea BD Gear Oil 150	NATURELLE S4 GEAR FLUID 150	PLANTOGEAR 150S
	<b>BIO GREASE</b>	<b>CASTROL</b>	<b>LUBMARINE</b>	<b>CHEVRON</b>	<b>MOBIL</b>	<b>GULF OIL MARINE</b>	<b>SHELL</b>	<b>LUKOIL</b>



**	Environmentally sensitive and VGP approved lubricant grease. It is a Lithium / Calcium Thickened lubricating grease formulated from fully saturated renewable esters and high performance additives.	BIOTAC MP	Bioadhesive EP2 Biomultis EP 2	N.A	MOBIL SHC AWARE GREASE EP 2	GulfSea BD EP2 Grease	NATURELLE GREASE SSV 120P NATURELLE S2 WIRE ROPE LUBRICANT A	PLANTOGEL 2S NAVIGREASE BIO 2 NAVIGREASE BIO 0
----	--	-----------	-----------------------------------	-----	-----------------------------	-----------------------	---	--

**REMARKS:**

**1. The Product Characteristics may change without prior notice.**

**2. The products with the \* are synthetic oil which are not recommended to mix with other lubes. The mixing of synthetic oils from different brands should be avoided. Pls drain off the existing oil prior replacing.**

**3. The products with the \*\* are Environmentally Acceptable Lubricants (EAL).**

**4. Above Lubricants comparison table is for reference only. Please be in contact with oil makers technical departments for further assistance.**